

CAS No: 13770-89-3 MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
:  
EC index no : 028-018-00-4  
EC no : 237-396-1  
CAS No : 13770-89-3  
Product code : 04888

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.  
107 Wode House Road, Jehangir Villa, Colaba  
400005 Mumbai - INDIA  
T +91 22 6663 6663 - F +91 22 6663 6699  
[info@lobachemie.com](mailto:info@lobachemie.com) - [www.lobachemie.com](http://www.lobachemie.com)

#### 1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Acute toxicity (inhal.), Category 4 H332  
Serious eye damage/eye irritation, Category 1 H318  
Sensitisation — Respiratory, category 1 H334  
Sensitisation — Skin, category 1 H317  
Germ cell mutagenicity, Category 2 H341  
Carcinogenicity (inhalation) Category 1A H350i  
Reproductive toxicity, Category 1A H360D  
Specific target organ toxicity — Repeated H372

# NICKEL SULFAMATE SOLUTION Extra Pure

## Safety Data Sheet

exposure, Category 1  
Hazardous to the aquatic environment — Chronic  
H410  
Hazard, Category 1

Full text of classification categories and H statements : see section 16

### Classification according to Directive 67/548/EEC or 1999/45/EC

C; Carc.Cat.1; Muta.Cat.3; Repr.Cat.2; R23-45

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) :

H302+H332 - Harmful if swallowed or if inhaled  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H341 - Suspected of causing genetic defects  
H350i - May cause cancer by inhalation  
H360D - May damage the unborn child  
H372 - Causes damage to organs through prolonged or repeated exposure  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P201 - Obtain special instructions before use  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray  
P273 - Avoid release to the environment  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P284 - [In case of inadequate ventilation] wear respiratory protection

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : NICKEL SULFAMATE SOLUTION Extra Pure  
CAS No : 13770-89-3  
EC no : 237-396-1

# NICKEL SULFAMATE SOLUTION Extra Pure

## Safety Data Sheet

EC index no : 028-018-00-4

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause an allergic skin reaction. Suspected of causing genetic defects. Causes damage to organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation : May cause cancer by inhalation. Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Harmful if swallowed.

Chronic symptoms : May damage the unborn child.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

# NICKEL SULFAMATE SOLUTION Extra Pure

## Safety Data Sheet

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : protective gloves  
Eye protection : Chemical goggles or safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : Wear respiratory protection

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : Green solution.  
Odour : No data available  
Odour threshold : No data available  
pH : 4.45  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : No data available  
Flash point : No data available

# NICKEL SULFAMATE SOLUTION Extra Pure

## Safety Data Sheet

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.45 g/cm <sup>3</sup>
Solubility	: Water: Soluble in water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.

Skin corrosion/irritation : Not classified  
pH: 4.45

Serious eye damage/irritation : Causes serious eye damage.  
pH: 4.45

# NICKEL SULFAMATE SOLUTION Extra Pure

## Safety Data Sheet

Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: May cause cancer by inhalation.
Reproductive toxicity	: May damage the unborn child.
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 3077

# NICKEL SULFAMATE SOLUTION Extra Pure

## Safety Data Sheet

UN-No. (IMDG)	: 3077
UN-No.(IATA)	: 3077
UN-No.(ADN)	: 3077
UN-No. (RID)	: 3077


### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IATA)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Transport document description (ADR)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, (E)
Transport document description (IMDG)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
Transport document description (ADN)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
Transport document description (RID)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 9
Danger labels (ADR)	: 9




#### IMDG

Transport hazard class(es) (IMDG)	: 9
Danger labels (IMDG)	: 9



#### IATA

Transport hazard class(es) (IATA)	: 9
Hazard labels (IATA)	: 9




#### ADN

Transport hazard class(es) (ADN)	: 9
Danger labels (ADN)	: 9

# NICKEL SULFAMATE SOLUTION Extra Pure


## Safety Data Sheet



### RID

Transport hazard class(es) (RID) : 9

Danger labels (RID) : 9



### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : M7

Special provision (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5kg

Exempted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1, BK1, BK2

Portable tank and bulk container special provisions (ADR) : TP33

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3


Special provisions for carriage - Packages (ADR) : V13

Special provisions for carriage - Bulk (ADR) : VC1, VC2

Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90

Orange plates :





# NICKEL SULFAMATE SOLUTION Extra Pure

## Safety Data Sheet

---

Tunnel restriction code (ADR) : E  
EAC code : 2Z

### - Transport by sea

Special provision (IMDG) : 274, 335, 966, 967, 969  
Limited quantities (IMDG) : 5 kg  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P002, LP02  
Packing provisions (IMDG) : PP12  
IBC packing instructions (IMDG) : IBC08  
IBC special provisions (IMDG) : B3  
Tank instructions (IMDG) : T1, BK1, BK2, BK3  
Tank special provisions (IMDG) : TP33  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-F  
Stowage category (IMDG) : A  
Stowage and handling (IMDG) : SW23  
MFAG-No : 154

### - Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y956  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 956  
PCA max net quantity (IATA) : 400kg  
CAO packing instructions (IATA) : 956  
CAO max net quantity (IATA) : 400kg  
Special provision (IATA) : A97, A158, A179, A197  
ERG code (IATA) : 9L

### - Inland waterway transport

Classification code (ADN) : M7  
Special provisions (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 kg  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T\* B\*\*  
Equipment required (ADN) : PP, A  
Number of blue cones/lights (ADN) : 0

### - Rail transport

Classification code (RID) : M7  
Special provision (RID) : 274, 335, 375, 601  
Limited quantities (RID) : 5kg  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P002, IBC08, LP02, R001  
Special packing provisions (RID) : PP12, B3  
Mixed packing provisions (RID) : MP10  
Portable tank and bulk container instructions (RID) : T1, BK1, BK2  
Portable tank and bulk container special provisions (RID) : TP33  
Tank codes for RID tanks (RID) : SGAV, LGBV  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W13

# NICKEL SULFAMATE SOLUTION Extra Pure

## Safety Data Sheet

Special provisions for carriage – Bulk (RID) : VC1, VC2

Special provisions for carriage – Loading and unloading (RID) : CW13, CW31

Colis express (express parcels) (RID) : CE11

Hazard identification number (RID) : 90

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

NICKEL SULFAMATE SOLUTION Extra Pure is not on the REACH Candidate List

NICKEL SULFAMATE SOLUTION Extra Pure is not on the REACH Annex XIV List

#### 15.1.2. National regulations

##### Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity (inhalation) Category 1A

# NICKEL SULFAMATE SOLUTION Extra Pure

## Safety Data Sheet

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1A	Reproductive toxicity, Category 1A
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360D	May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
C	Corrosive

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*